

 **KLEWE**
SISTEMAS●LARE



AMBIENT CREATOR

Last Edited : 30/10/2024

www.dessled.com



DESS





DESSGLSLED




KLEWE



DESS®



CE RoHS



<50LUX



1130110

RADIA GROUND LED SOLAR LAMP DIE CAST ALUMINUM
POWDER COATED TO DARK GREY

LIGHT SOURCE

: 3W

CHIP

:

Lumileds 4014

COLOR TEMP

: 3000K

LUMEN

: 236Lm - 100%

WORKING TEMP

: -20°C to 40°C

CHARGING TIME

: 8-10H

WORKING TIME

: 23-25H

LITHIUM BATTERY

: 4400mAh

SOLAR PANEL VOLTAGE : 4.5W 7V

CRI

: Ra

80

IP

: IP65

SIZE



: 204 x



KLEWE
DESS®



CE RoHS



1160310

ALA WALL LED SOLAR LAMP DIE CAST ALUMINUM POWDER
COATED TO DARK GREY

LIGHT SOURCE
CHIP

: 2.2W

Lumileds 4014

COLOR TEMP

: 3000K

LUMEN

: 202Lm - 100%

WORKING TEMP

: -20°C to 40°C

CHARGING TIME

: 6-8H

WORKING TIME

: 16-18H

LITHIUM BATTERY

: 2200mAh

SOLAR PANEL VOLTAGE : 2.5W 7V

CRI

: Ra

80

IP


: IP65

SIZE

: 145 x



KLEWE
DESS®



1120210

KEOPE WALL LED SOLAR LAMP DIE CAST ALUMINUM POWDER COATED TO DARK GREY

LIGHT SOURCE
CHIP

: 3W

Lumileds 4014

COLOR TEMP

: 3000K

LUMEN

: 231Lm - 100%

WORKING TEMP

: -20°C to 40°C

CHARGING TIME

: 10-12H

WORKING TIME

: 23-25H

LITHIUM BATTERY

: 4400mAh

SOLAR PANEL VOLTAGE : 3.5W 7V

CRI

: Ra 80

IP

: IP65

SIZE



: Ø218 x

1135 mm



1120110
KEOPE BOLLARD LED SOLAR LAMP KLEWE

LIGHT SOURCE	: 3W	
CHIP		:
Lumileds 4014		
COLOR TEMP	: 3000K	
LUMEN	: 270Lm - 100%	
WORKING TEMP	: -20°C to 40°C	
CHARGING TIME	: 10-12H	
WORKING TIME	: 23-25H	
LITHIUM BATTERY	: 4400mAh	
SOLAR PANEL VOLTAGE	: 3.5W 7V	
CRI		: Ra 80
IP		: IP65
SIZE		: Ø205 x
H800mm		



1220110

SWING GROUND LED SOLAR LAMP KLEWE

LIGHT SOURCE
CHIP

: 3W

Lumileds 4014

COLOR TEMP

: 3000K

LUMEN

: 160Lm - 100%

WORKING TEMP

: -20°C to 40°C

CHARGING TIME

: 10-12H

WORKING TIME

: 23-25H

LITHIUM BATTERY

: 4400mAh

SOLAR PANEL VOLTAGE : 3W 7V

CRI

: Ra 80

IP

: IP65

SIZE




: Ø200 x

111.4mm





KLEWE
DESS®



1110110

ECOSTEP WALL LED SOLAR LAMP DIE CAST ALUMINUM
POWDER COATED TO DARK GREY

LIGHT SOURCE
CHIP

: 2.2W

Lumileds 4014

COLOR TEMP

: 3000K

LUMEN

: 200Lm - 100%

WORKING TEMP

: -20°C to 40°C

CHARGING TIME

: 6-8H

WORKING TIME

: 13-15H

LITHIUM BATTERY

: 2200mAh

SOLAR PANEL VOLTAGE : 2.5W 7V

CRI

: Ra 80

IP

: IP65

SIZE

: 76 x 165